

[2025年度 グリーン購入法適合機種一覧]

缶・ボトル機

機種	エネルギー消費効率		冷媒		
	年間消費電力量	基準達成率	種類	GWP係数	封入量
CD-SV4P2030-HP	720kWh	123%	R1234yf	1	130g
CD-SV4P2430-HP	800kWh	122%	R1234yf	1	130g
CD-SV4P2430HEV	800kWh	122%	R1234yf	1	130g
CD-SV4P2430HEVF	800kWh	122%	R1234yf	1	130g
CD-SV4P3036HEV	630kWh	155%	R1234yf	1	150g
CD-SV4P3036HEVF	630kWh	155%	R1234yf	1	150g
CD-SV4P3036-HPE	630kWh	155%	R1234yf	1	150g
CD-SV4P3636-HPE	790kWh	147%	R1234yf	1	220g
CD-SV4P4242-HP	990kWh	131%	R1234yf	1	220g
F-SV2P2024-HPE	620kWh	128%	R1234yf	1	170g
F-SV2P2530-HPE	565kWh	169%	R1234yf	1	170g
F-SV2P2030U-HPE	695kWh	171%	R1234yf	1	170g
F-SV4P2430-HPE	795kWh	125%	R1234yf	1	170g
F-SV4P2430-HPEZ	795kWh	125%	R1234yf	1	170g
F-SV4P2536-HPE	650kWh	165%	R1234yf	1	170g
F-SV4P3036-HPE	699kWh	168%	R1234yf	1	170g
F-SU2P2024-HPE	660kWh	120%	R1234yf	1	170g
F-SU2P2030U-HPE	695kWh	171%	R1234yf	1	170g
F-SU2P2530-HPE	565kWh	169%	R1234yf	1	170g
F-SU3P2430-HPE	770kWh	123%	R1234yf	1	170g
F-SU4P3036-HPE	699kWh	168%	R1234yf	1	170g
F-SU4P3636-HPE	800kWh	145%	R1234yf	1	170g
CD-SU4P3036HEV	630kWh	155%	R1234yf	1	130g
CD-SU4P2430HEV	800kWh	122%	R1234yf	1	130g
CD-SU4P4242-HP	990kWh	131%	R1234yf	1	180g
CD-SU4P3036-HPE	630kWh	155%	R1234yf	1	130g
CD-SU4P2530-HP	795kWh	135%	R1234yf	1	190g
CD-SU1P1818-HP	735kWh	104%	R1234yf	1	120g
CD-SU4P2430-HP	800kWh	122%	R1234yf	1	130g
CD-SU4P2030-HP	720kWh	123%	R1234yf	1	130g
CD-SU2P1212-HP	760kWh	108%	R1234yf	1	130g
CD-SU4P2430HEVF	800kWh	122%	R1234yf	1	130g
CD-SU4P3036HEVF	630kWh	155%	R1234yf	1	130g
CD-ST4P2430-HP	800kWh	122%	R1234yf	1	130g
CD-ST4P3036-HPE	630kWh	155%	R1234yf	1	130g
CD-ST4P4242-HP	990kWh	131%	R1234yf	1	180g
CD-ST4P2530-HP	795kWh	135%	R1234yf	1	140g
CD-ST4P2030-HP	720kWh	123%	R1234yf	1	130g
CD-ST4P2430HEVF	800kWh	122%	R1234yf	1	130g
CD-ST4P3036HEVF	630kWh	155%	R1234yf	1	130g
CD-ST4P2430HEV	800kWh	122%	R1234yf	1	130g
CD-ST4P3036HEV	630kWh	155%	R1234yf	1	130g
F-ST2P2024-HPE	640kWh	128%	R1234yf	1	200g
F-ST2P2030U-HPE	670kWh	178%	R1234yf	1	210g
F-ST2P2530-HPE	540kWh	176%	R1234yf	1	240g
F-ST3P2430-HPE	795kWh	117%	R1234yf	1	190g
F-ST3P3636-HPE	660kWh	172%	R1234yf	1	240g
F-ST4P3036-HPE	699kWh	168%	R1234yf	1	240g

F-SS2P2024-HPE	640kWh	128%	R1234yf	1	200g
F-SS2P2424-HPE	660kWh	128%	R1234yf	1	200g
F-SS2P2530-HPE	540kWh	176%	R1234yf	1	240g
F-SS2P3030-HPE	565kWh	183%	R1234yf	1	240g
F-SS2P3036-HPE	565kWh	178%	R1234yf	1	240g
F-SS3P3036-HPE	575kWh	186%	R1234yf	1	240g
F-SS3P3636-HPE	660kWh	172%	R1234yf	1	240g
F-SS4P3036-HPE	699kWh	168%	R1234yf	1	240g
CD-SS4P4242-HP	990kWh	131%	R1234yf	1	160g
CD-SS4P3036-HPE	630kWh	155%	R1234yf	1	150g
CD-SS4P2530-HP	795kWh	135%	R1234yf	1	160g
CD-SS2P2024U-HP	830kWh	145%	R1234yf	1	130g
CD-SS4P2430-HP	800kWh	121%	R1234yf	1	150g
CD-SS4P2030-HP	720kWh	123%	R1234yf	1	150g
F-SR2P2024-HPE	620kWh	128%	R1234yf	1	200g
F-SR2P2530-HPE	540kWh	176%	R1234yf	1	240g
F-SR2P3030-HPE	565kWh	183%	R1234yf	1	240g
F-SR2P3036-HPE	565kWh	178%	R1234yf	1	240g
F-SR3P3036-HPE	575kWh	186%	R1234yf	1	240g
F-SR3P3636-HPE	660kWh	172%	R1234yf	1	240g
F-SR2P1624U-HP	790kWh	124%	R1234yf	1	190g
F-SR2P2436U-HPE	680kWh	185%	R1234yf	1	210g
F-SR1018FB	585kWh	148%	R1234yf	1	140g
CD-SR4P4242-HP	990kWh	131%	R1235yf	1	160g
CD-SR4P3036-HPE	630kWh	155%	R1236yf	1	150g
CD-SR4P2530-HP	795kWh	135%	R1237yf	1	160g
CD-SR2P2024U-HP	830kWh	145%	R1241yf	1	130g
CD-SR2P1524U-HP	865kWh	121%	R1242yf	1	130g
F-SQ2P2024-HPE	620kWh	128%	R1234yf	1	200g
F-SQ2P3036-HPE	565kWh	178%	R1234yf	1	240g
F-SQ2P3030-HPE	565kWh	183%	R1234yf	1	240g
F-SQ2P3636-HPE	580kWh	190%	R1234yf	1	240g
F-SQ3P3036-HPE	575kWh	186%	R1234yf	1	240g
F-SQ3P3636-HPE	660kWh	172%	R1234yf	1	240g
F-SQ4P3036-HPE	699kWh	168%	R1234yf	1	240g
F-SQ2P1624U-HP	790kWh	124%	R1234yf	1	190g
F-SQ2P2436U-HPE	680kWh	185%	R1234yf	1	210g
NS-SQ2P2530-HPE	582kWh	164%	R600a	3	53g
NS-SQ2P3030-HPE	607kWh	179%	R600a	3	53g
NS-SQ3P3036-HPE	589kWh	190%	R600a	3	53g
NS-SQ2P2030HPEV	667kWh	120%	R600a	3	50g
CD-SQ2P1530U-HP	865kWh	121%	R1234yf	1	130g
CD-SQ2P2030U-HP	830kWh	145%	R1234yf	1	130g
CD-SQ4P3536-HP	940kWh	141%	R1234yf	1	160g
CD-SQ4P4242-HP	990kWh	131%	R1234yf	1	160g
NS-19WP2030E	667kWh	120%	R600a	3	50g
NS-19WP2530E	582kWh	164%	R600a	3	53g
NS-19WP3036E	589kWh	172%	R600a	3	53g
NS-19WP3030E	607kWh	179%	R600a	3	53g
NS-19WP3636E	629kWh	183%	R600a	3	53g
NS-19TP3030E	589kWh	190%	R600a	3	53g
NS-19TP3536HP	807kWh	156%	R600a	3	53g
NS-19FP3036E	629kWh	155%	R600a	3	50g
CD-19WP1530U-HP	865kWh	121%	R1234yf	1	130g
CD-19WP3030-HPE	600kWh	174%	R1234yf	1	150g
CD-19WP3036-HPE	585kWh	171%	R1234yf	1	150g

CD-19WP3636-HPE	605kWh	183%	R1234yf	1	150g
CD-19TP3036-HP	725kWh	150%	R1234yf	1	150g
CD-19TP3642-HP	760kWh	151%	R1234yf	1	160g
CD-19TP4242-HP	925kWh	139%	R1234yf	1	160g
F-19WP2024-HPE	620kWh	128%	R1234yf	1	200g
F-19WP2530-HPE	540kWh	177%	R1234yf	1	210g
F-19WP3036-HPE	565kWh	178%	R1234yf	1	210g
F-19WP3030-HPE	565kWh	184%	R1234yf	1	210g
F-19TP3636-HPE	575kWh	189%	R1234yf	1	210g
F-19WP3636-HPE	580kWh	190%	R1234yf	1	210g
F-19WP1624U-HP	790kWh	124%	R1234yf	1	190g
F-19WP2030U-HPE	670kWh	178%	R1234yf	1	210g
F-19TP3636-HPE	660kWh	172%	R1234yf	1	240g
F-19FP3036-HPE	699kWh	155%	R1234yf	1	240g
NS-18WP2030HPJEL	667kWh	120%	R600a	3	50g
NS-18TP3036-HPE	589kWh	190%	R600a	3	53g
NS-18TP3536-HP	807kWh	156%	R600a	3	53g
NS-18WP2030-HPE	667kWh	120%	R600a	3	50g
NS-18WP2530-HPE	582kWh	164%	R600a	3	53g
NS-18WP3030-HPE	607kWh	179%	R600a	3	53g
NS-18WP3036-HPE	589kWh	172%	R600a	3	53g
NS-18WP3636-HPE	629kWh	183%	R600a	3	53g
CD-18TP3036-HP	725kWh	150%	R1234yf	1	150g
CD-18TP4242-HP	925kWh	139%	R1234yf	1	160g
CD-18WP1530U-HP	865kWh	120%	R744	1	160g
CD-18WP2030U-HP	830kWh	144%	R744	1	160g
CD-18WP2530-HPE	580kWh	163%	R1234yf	1	150g
CD-18WP3030-HPE	600kWh	174%	R1234yf	1	150g
CD-18WP3036-HPE	585kWh	171%	R1234yf	1	150g
F-18WP2024-HPE	620kWh	128%	R1234yf	1	200g
F-18WP2530-HPE	540kWh	177%	R1234yf	1	210g
F-18WP3036-HPE	565kWh	178%	R1234yf	1	210g
F-18WP3030-HPE	565kWh	184%	R1234yf	1	210g
F-18TP3636-HPE	575kWh	189%	R1234yf	1	210g
F-18WP3636-HPE	580kWh	190%	R1234yf	1	210g
F-18WP1624U-HP	790kWh	124%	R1234yf	1	190g
NS-17WP2030HPJEL	667kWh	120%	R600a	3	50g
NS-17TP3036-HPE	589kWh	190%	R600a	3	53g
NS-17TP3536-HP	807kWh	156%	R600a	3	53g
NS-17WP2030-HPE	667kWh	120%	R600a	3	50g
NS-17WP2530-HPE	582kWh	164%	R600a	3	53g
NS-17WP3030-HPE	607kWh	179%	R600a	3	53g
NS-17WP3036-HPE	589kWh	172%	R600a	3	53g
NS-17WP3636-HPE	629kWh	183%	R600a	3	53g
CD-17WP3030-HP	805kWh	129%	R744	1	160g
CD-17WP3636-HP	820kWh	134%	R744	1	160g
CD-17TP3036-HP	755kWh	144%	R744	1	160g
CD-17TP4242-HP	925kWh	139%	R744	1	170g
CD-17WP2030U-HP	830kWh	143%	R744	1	160g
F-17WP2024-HPE	620kWh	128%	R1234yf	1	200g
F-17WP2530-HPE	540kWh	177%	R1234yf	1	210g
F-17WP3036-HPE	565kWh	178%	R1234yf	1	210g
F-17WP3030-HPE	565kWh	184%	R1234yf	1	210g
F-17TP3636-HPE	575kWh	189%	R1234yf	1	210g
F-17WP3636-HPE	580kWh	190%	R1234yf	1	210g
NS-16WP2030-HPE	667kWh	120%	R600a	3	50g

NS-16WP2530-HPE	582kWh	164%	R600a	3	53g
NS-16WP3036-HPE	589kWh	172%	R600a	3	53g
NS-16TP3036-HPE	589kWh	190%	R600a	3	53g
NS-16TP2536-HP	784kWh	125%	R600a	3	53g
CD-16WP2030U-HP	830kWh	144%	R744	1	160g
CD-16WP3030-HP	805kWh	129%	R744	1	160g
CD-16WP3636-HP	820kWh	134%	R744	1	160g
CD-16TP4242-HP	925kWh	139%	R744	1	170g
F-16WP2024-HPE	620kWh	128%	R1234yf	1	200g
F-16WP2530-HPE	540kWh	177%	R1234yf	1	240g
F-16WP3036-HPE	565kWh	178%	R1234yf	1	240g
F-16WP3030-HPE	565kWh	184%	R1234yf	1	240g
F-16WP3636-HPE	580kWh	190%	R1234yf	1	240g
NS-15TP3036-HPE	589kWh	190%	R600a	3	53g
NS-15WP2030-HPE	667kWh	120%	R600a	3	53g
NS-15WP2030U-HP	827kWh	145%	R600a	3	53g
NS-15WP2530-HPE	582kWh	164%	R600a	3	53g
NS-15WP3030-HPE	607kWh	179%	R600a	3	53g
NS-15WP3036-HPE	589kWh	172%	R600a	3	53g
NS-15WP3636-HPE	629kWh	183%	R600a	3	53g
CD-15WP2030U-HP	825kWh	141%	R744	1	220g
CD-15WP2530-HPE	620kWh	153%	R744/1234yf	1	150g/100g
CD-15WP3030-HPE	640kWh	163%	R744/1234yf	1	150g/100g
CD-15WP3036-HPE	625kWh	160%	R744/1234yf	1	150g/100g
CD-15TP3036-HPE	605kWh	180%	R744/1234yf	1	150g/100g
CD-15WP3636-HPE	645kWh	171%	R744/1234yf	1	150g/100g
CD-15TP4242-HPE	925kWh	139%	R744/1234yf	1	160g/100g
F-15WP2530-HPE	540kWh	177%	R1234yf	1	240g
F-15WP3036-HPE	565kWh	178%	R1234yf	1	240g
F-15WP3030-HPE	565kWh	184%	R1234yf	1	240g
F-15WP3636-HPE	580kWh	190%	R1234yf	1	240g
F-15WP1624U-HP	790kWh	124%	R1234yf	1	190g
F-15TP3036-HPE	575kWh	189%	R1234yf	1	240g
NS-14WP2530-HPE	582kWh	165%	R600a	3	50g
NS-14WP3030-HPE	617kWh	176%	R600a	3	50g
NS-14WP3036-HPE	589kWh	172%	R600a	3	50g
NS-14WP3636-HPE	634kWh	182%	R600a	3	50g
CD-14TP4242-HP	975kWh	130%	R744	1	240g
CD-14WP2530-HPE	560kWh	168%	R744/R1234yf	1	200g/200g
CD-14WP3030-HPE	580kWh	179%	R744/R1234yf	1	200g/200g
CD-14WP2030U-HP	825kWh	140%	R744	1	220g
F-14WP1624U-HP	790kWh	124%	R1234yf	1	190g
F-14WP2530-HPE	590kWh	160%	R1234yf	1	240g
F-14WP3036-HPE	595kWh	168%	R1234yf	1	240g
F-14WP3030-HPE	600kWh	172%	R1234yf	1	240g
F-14WP3636-HPE	615kWh	178%	R1234yf	1	240g
F-14TP3036-HPE	600kWh	180%	R1234yf	1	240g
NS-13WP2530-HPE	737kWh	130%	R600a	3	50g
NS-13WP3036-HPE	764kWh	132%	R600a	3	50g
CD-13WP3036-HPE	805kWh	122%	R744	1	240g
CD-13WP3030-HPE	815kWh	125%	R744	1	240g
CD-13WP3636-HPE	820kWh	132%	R744	1	240g
CD-13WP2030U-HP	840kWh	138%	R744	1	220g
CD-13TP3036-HP	795kWh	135%	R744	1	240g
F-13WP2530-HPE	735kWh	129%	R1234yf	1	240g
F-13WP3030-HPE	765kWh	135%	R1234yf	1	240g

F-13WP3036-HPE	770kWh	130%	R1234yf	1	240g
F-13WP3636-HPE	790kWh	138%	R1234yf	1	220g
CD-12WP2030UHPC	830kWh	140%	R744	1	220g
CD-12WP3030-HPC	850kWh	120%	R744	1	240g
CD-12WP3636-HPC	850kWh	128%	R744	1	240g
CD-12TP4242-HPC	995kWh	128%	R744	1	240g
F-12WP3030-HP	820kWh	126%	R1234yf	1	240g
F-12WP3036-HP	830kWh	120%	R1234yf	1	240g
NS-11TP3036UDHP	864kWh	131%	R600a	3	96g
CD-11WP3636-HPC	850kWh	128%	R744	1	290g
CD-11WP2030UHPC	830kWh	140%	R744	1	280g